

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



Facility Information

RESULT: Satisfactory

Permit Number: 13-48-18416
 Name of Facility: South Dade Middle/ Loc.# 5003
 Address: 29100 SW 194 Avenue
 City, Zip: Homestead 33030

Type: School (more than 9 months)
 Owner: M-DCSB Food and Nutrition
 Person In Charge: M-DCSB Food and Nutrition Phone: (786) 275-0400
 PIC Email:

Inspection Information

Purpose: Routine	Number of Risk Factors (Items 1-29): 1	Begin Time: 01:00 PM
Inspection Date: 12/14/2022	Number of Repeat Violations (1-57 R): 0	End Time: 02:00 PM
Correct By: Next Inspection	Facility Grade: N/A	
Re-Inspection Date: None	StopSale: No	

Marking Key: IN=the act or item was observed to be in compliance; OUT=the act or item was observed to be out of compliance; NO=the act or item was not observed to be occurring at the time of inspection; NA=the act or item is not performed by the facility; COS=violation corrected on site; R=repeat violation from previous inspection

FoodBorne Illness Risk Factors And Public Health Interventions

SUPERVISION

- IN** 1. Demonstration of Knowledge/Training
- IN** 2. Certified Manager/Person in charge present

EMPLOYEE HEALTH

- IN** 3. Knowledge, responsibilities and reporting
- IN** 4. Proper use of restriction and exclusion
- IN** 5. Responding to vomiting & diarrheal events

GOOD HYGIENIC PRACTICES

- IN** 6. Proper eating, tasting, drinking, or tobacco use
- IN** 7. No discharge from eyes, nose, and mouth

PREVENTING CONTAMINATION BY HANDS

- IN** 8. Hands clean & properly washed
- IN** 9. No bare hand contact with RTE food
- OUT** 10. Handwashing sinks, accessible & supplies

APPROVED SOURCE

- IN** 11. Food obtained from approved source
- IN** 12. Food received at proper temperature
- IN** 13. Food in good condition, safe, & unadulterated
- NA** 14. Shellstock tags & parasite destruction

PROTECTION FROM CONTAMINATION

- IN** 15. Food separated & protected; Single-use gloves

- IN** 16. Food-contact surfaces; cleaned & sanitized

- IN** 17. Proper disposal of unsafe food

TIME/TEMPERATURE CONTROL FOR SAFETY

- IN** 18. Cooking time & temperatures
- IN** 19. Reheating procedures for hot holding
- IN** 20. Cooling time and temperature
- IN** 21. Hot holding temperatures
- IN** 22. Cold holding temperatures
- IN** 23. Date marking and disposition
- NA** 24. Time as PHC; procedures & records

CONSUMER ADVISORY

- NA** 25. Advisory for raw/undercooked food

HIGHLY SUSCEPTIBLE POPULATIONS

- IN** 26. Pasteurized foods used; No prohibited foods

ADDITIVES AND TOXIC SUBSTANCES

- IN** 27. Food additives: approved & properly used
- IN** 28. Toxic substances identified, stored, & used

APPROVED PROCEDURES

- NA** 29. Variance/specialized process/HACCP

Inspector Signature:

CM

Client Signature:

**STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT**



Good Retail Practices

SAFE FOOD AND WATER	
<u>IN</u> 30. Pasteurized eggs used where required	<u>IN</u> 46. Slash resistant/cloth gloves used properly
<u>IN</u> 31. Water & ice from approved source	UTENSILS, EQUIPMENT AND VENDING
<u>NA</u> 32. Variance obtained for special processing	<u>OUT</u> 47. Food & non-food contact surfaces
FOOD TEMPERATURE CONTROL	<u>IN</u> 48. Ware washing: installed, maintained, & used; test strips
<u>IN</u> 33. Proper cooling methods; adequate equipment	<u>IN</u> 49. Non-food contact surfaces clean
<u>IN</u> 34. Plant food properly cooked for hot holding	PHYSICAL FACILITIES
<u>IN</u> 35. Approved thawing methods	<u>IN</u> 50. Hot & cold water available; adequate pressure
<u>IN</u> 36. Thermometers provided & accurate	<u>OUT</u> 51. Plumbing installed; proper backflow devices
FOOD IDENTIFICATION	<u>IN</u> 52. Sewage & waste water properly disposed
<u>IN</u> 37. Food properly labeled; original container	<u>IN</u> 53. Toilet facilities: supplied, & cleaned
PREVENTION OF FOOD CONTAMINATION	<u>IN</u> 54. Garbage & refuse disposal
<u>IN</u> 38. Insects, rodents, & animals not present	<u>IN</u> 55. Facilities installed, maintained, & clean
<u>IN</u> 39. No Contamination (preparation, storage, display)	<u>OUT</u> 56. Ventilation & lighting
<u>IN</u> 40. Personal cleanliness	<u>IN</u> 57. Permit; Fees; Application; Plans
<u>IN</u> 41. Wiping cloths: properly used & stored	
<u>IN</u> 42. Washing fruits & vegetables	
PROPER USE OF UTENSILS	
<u>IN</u> 43. In-use utensils: properly stored	
<u>IN</u> 44. Equipment & linens: stored, dried, & handled	
<u>IN</u> 45. Single-use/single-service articles: stored & used	

This form serves as a "Notice of Non-Compliance" pursuant to section 120.695, Florida Statutes. Items marked as "out" violate one or more of the requirements of Chapter 64E-11, the Florida Administrative Code or Chapter 381.0072, Florida Statutes. Violations must be corrected within the time period indicated above. Continued operation of this facility without making these corrections is a violation. Failure to correct violations in the time frame specified may result in enforcement action being initiated by the Department of Health.

Violations Comments

<p>Violation #10. Handwashing sinks, accessible & supplies Observed paper towels stored outside of paper dispenser. Store paper towel inside of dispenser. CODE REFERENCE: 64E-11.003(5)(d). Handwashing sinks are properly equipped with hand soap, individual disposable towels or hand drying device, and signage; and conveniently located.</p>
<p>Violation #47. Food & non-food contact surfaces Observed reach-in refrigerator PC 1015810 is leaking inside and dirty door gasket. Repair reach-in and clean gaskets. CODE REFERENCE: 64E-11.003(4). Equipment and utensils must be properly designed, constructed, and in good repair.</p>
<p>Violation #51. Plumbing installed; proper backflow devices Observed steamer drain pipes in contact with floor drain. Install drain pipes according plumbing codes. CODE REFERENCE: 64E-11.003(5)(c). Plumbing will be installed and maintained to comply with plumbing requirements, including backflow prevention devices. A mop sink will be provided.</p>
<p>Violation #56. Ventilation & lighting Observed light out of order inside reach-in refrigerator PC 1005486. Repair light. Observed personal items stored inside kitchen table drawer and inside reach-in refrigerator. Provide designated area to store personal items. CODE REFERENCE: 64E-11.003(6)(a). Adequate exhaust ventilation hood systems in food prep and warewashing areas shall be provided and designed. 50 foot candles shall be at surfaces where employees work with food and 20 foot candles shall be at surfaces where food is provided to consumers</p>

Inspector Signature:

CM

Client Signature:

STATE OF FLORIDA
DEPARTMENT OF HEALTH
COUNTY HEALTH DEPARTMENT
FOOD SERVICE
INSPECTION REPORT



General Comments

Inspection report emailed to Tara Watts on 12/14/2022.

Digital thermometer model DPP400W was used during the inspection.

Temperatures taken:

Handwashing sink: 115°F.

Three compartment sink: 116°F.

Mop sink: 117°F.

Walk-in cooler: 35°F.

Walk-in freezer: 0°F.

Reach-in refrigerator: 36°F.

Mac and cheese: 152°F.

Chicken: 145°F.

Yuca: 143°F.

Milk: 39°F.

Sanitize solution: 200ppm.

Email Address(es): tpearson3@dadeschools.net;

gmunoz@dadeschools.net;

jaybolton@dadeschools.net;

jware@dadeschools.net;

ipalacio@dadeschools.net

Inspection Conducted By: Cesar Martinez (085423)

Inspector Contact Number: Work: (305) 623-3500 ex.

Print Client Name:

Date: 12/14/2022

Inspector Signature:

Client Signature: